Electroencephalography and clinical Neurophysiology, 80 (1991) 579–582
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0168-5597/91/$03.50

INDEX OF AUTHORS

VOLUME 80 (EP), (1991)

Abbes, S., Louvel, J., Lamarche, M. and Pumain, R.
Laminar analysis of the origin of the various components of evoked potentials in slices of rat sensorimotor cortex (80) 310
Affricano, C., see Stanzione, P. (80) 446
Amabile, G., see Stanzione, P. (80) 446
Aneja, I.S., see Panjwani, G.D. (80) 384
Antonozzi, I., see Cardona, F. (80) 8

Backonja, M., see Joseph, J. (80) 46
Baffa, O., see Joseph, J. (80) 46
Baratto, F., see Facco, E. (80) 469
Bastuji, H., see García-Larrea, L. (80) 201
Baumann, S.B., Rogers, R.L., Guinto, F.C., Saydjari, C.L., Papanicolaou, A.C. and Eisenberg, H.M.
Gender differences in source location for the N100 auditory evoked magnetic field (80) 53
Bazzano, S., see Onofrj, M. (80) 167
Behr, A.U., see Facco, E. (80) 469
Benedetti, P., see Cardona, F. (80) 8
Biscay, R., see Machado, C. (80) 392
Bladin, P.F., see Macdonell, R.A.L. (80) 276
Bleich, N., see Pratt, H. (80) 572
Bodis-Wollner, I., see Ghilardi, M.F. (80) 1
Bodis-Wollner, I., see Glover, A. (80) 65
Bolaños, J., see Witt, J.C. (80) 551
Borenstein, S., see Cheron, G. (80) 522
Brandt, M.E., Jansen, B.H. and Carbonari, J.P.
Pre-stimulus spectral EEG patterns and the visual evoked response (80) 16
Brandt, M.E., see Jansen, B.H. (80) 241
Brannan, J.R., see Ghilardi, M.F. (80) 1
Bromm, B., Frieling, A. and Lankers, J.
Laser-evoked brain potentials in patients with dissociated loss of pain and temperature sensibility (80) 284
Buccafusco, J.J., see Ray, P.G. (80) 347
Buchwald, J.S., Rubinstein, E.H., Schwafel, J. and Strandburg, R.J.
Midlatency auditory evoked responses: differential effects of a cholinergic agonist and antagonist (80) 303
Buchwald, J.S., see Erwin, R. (80) 561

Carbonari, J.P., see Brandt, M.E. (80) 16
Cardona, F., Leuzzi, V., Antonozzi, I., Benedetti, P. and Loizzo, A.
The development of auditory and visual evoked potentials in early treated phenylketonuric children (80) 8
Casartelli Liviero, M., see Facco, E. (80) 469
Celesia, G.G., see Tomoda, H. (80) 81
Cheron, G. and Borenstein, S.
Gating of the early components of the frontal and parietal somatosensory evoked potentials in different sensory-motor interference modalities (80) 522
Chino, N., see Okajima, Y. (80) 26
Chino, N., see Okajima, Y. (80) 531
Cleeland, C.S., see Joseph, J. (80) 46
Cole, J.D. and Katifi, H.A.
Evoked potentials in a man with a complete large myelinated fibre sensory neuropathy below the neck (80) 103
Cone Toleikis, S., see Tomoda, H. (80) 81
Coutin, P., see Machado, C. (80) 392
Creason, J.P., see Janssen, R. (80) 412

D'Alessio, C., see Stanzione, P. (80) 446
Desmedt, J.E. and Ozaki, I.
SEPs to finger joint input lack the N20-P20 response that is evoked by tactile inputs: contrast between cortical generators in areas 3b and 2 in humans (80) 513
Desmedt, J.E., see Tomberg, C. (80) 496
Desmedt, J.E., see Tomberg, C. (80) 504
Deuschl, G., Ebner, A., Hammers, R. and Lücking, C.H.
Differences of cortical activation in spontaneous and reflex myoclonias (80) 326
Dobie, R.A. and Wilson, M.J.
Optimal smoothing of coherence estimates (80) 194
Dolenc, V.V., see Prestor, B. (80) 155
Donà, B., see Facco, E. (80) 469
Donnan, G.A., see Macdonell, R.A.L. (80) 276
Durrant, J.D., Gerich, J.E., Mitrakou, A., Jenssen, T. and Hyre, R.J.
Changes in BAEP under hypoglycemia: temperature-related? (80) 547
Dyer, R.S., see Janssen, R. (80) 412

Ebner, A., see Deuschl, G. (80) 326
Eisenberg, H.M., see Baumann, S.B. (80) 53
Elidan, J., Leibner, E., Freeman, S., Sela, M., Nitzan, M. and Sohmer, H.
Short and middle latency vestibular evoked responses to acceleration in man (80) 140
Erwin, R., Van Lancker, D., Guthrie, D., Schwafel, J., Tanguay, P. and Buchwald, J.S.
P3 responses to prosodic stimuli in adult autistic subjects (80) 561

Facco, E., Baratto, F., Munari, M., Donà, B., Casartelli Liviero, M., Behr, A.U. and Giron, G.P.
Sensorimotor central conduction time in comatose patients (80) 469
Fattapposta, F., see Stanzione, P. (80) 446
Feinsod, M., see Soustiel, J.F. (80) 119
Feng, L.Y., see Jiang, Z.D. (80) 60
Foust, R., see Towle, V.L. (80) 339
Freeman, S., see Elidan, J. (80) 140
Frieling, A., see Bromm, B. (80) 284
Fujii, K., see Morioka, T. (80) 221
Fukui, M., see Morioka, T. (80) 215
Fukui, M., see Morioka, T. (80) 221
Fulgente, T., see Onofrj, M. (80) 167

García, O., see Machado, C. (80) 392
García-Larrea, L., Bastuji, H. and Mauguière, F.
Mapping study of somatosensory evoked potentials during selective spatial attention (80) 201
García-Tigera, J., see Machado, C. (80) 392
Genba, K., see Sonoo, M. (80) 238
Genba, K., see Sonoo, M. (80) 536
Genba, K., see Ugawa, Y. (80) 21
George, S.R. and Taylor, M.J.
Somatosensory evoked potentials in neonates and infants: developmental and normative data (80) 94
Gerich, J.E., see Durrant, J.D. (80) 547
Gerken, G.M.
Evoked potentials recorded from brain-stem nuclei in awake cat: interaction of tone bursts and continuous tone (80) 73
Ghilardi, M.F., Sartucci, F., Brannan, J.R., Onofrj, M.C., Bodis-Wollner, I., Mylin, L. and Stroch, R.
N70 and P100 can be independently affected in multiple sclerosis (80) 1
Ghilardi, M.F., see Glover, A. (80) 65
Giron, G.P., see Facco, E. (80) 469
Giunti, P., see Stanzione, P. (80) 446
Glover, A., Ghilardi, M.F., Onofrj, M. and Bodis-Wollner, I.
Visual 'cognitive' evoked potentials in the behaving monkey (80) 65
Guérit, J.M. and Opsomer, R.J.
Bit-mapped imaging of somatosensory evoked potentials after stimulation of the posterior tibial nerves and dorsal nerve of the penis/clitoris (80) 228
Guinto, F.C., see Baumann, S.B. (80) 53
Guthrie, D., see Erwin, R. (80) 561

Hafner, H., see Soustiel, J.F. (80) 119
Halliday, A.M., see Jones, S.J. (80) 147
Hallström, Y.T., Lindblom, U. and Meyerson, B.A.
Distribution of lumbar spinal evoked potentials and their correlation with stimulation-induced paresthesiae (80) 126
Hammers, R., see Deuschl, G. (80) 326
Hanley, D.F., see Thakor, N.V. (80) 108
Hari, R., see Karhu, J. (80) 459
Hetzler, B.E., see Janssen, R. (80) 412
Howland, E.W., see Joseph, J. (80) 46
Hyre, R.J., see Durrant, J.D. (80) 547

Ingrand, P., see Paquereau, J. (80) 298

Jansen, B.H. and Brandt, M.E.
The effect of the phase of prestimulus alpha activity on the averaged visual evoked response (80) 241
Jansen, B.H., see Brandt, M.E. (80) 16
Janssen, R., Hetzler, B.E., Creason, J.P. and Dyer, R.S.
Differential impact of hypothermia and pentobarbital on brainstem auditory evoked responses (80) 412
Jeanmonod, D., Sindou, M. and Mauguière, F.
The human cervical and lumbo-sacral evoked electrospinogram. Data from intra-operative spinal cord surface recordings (80) 477
Jenssen, T., see Durrant, J.D. (80) 547
Jiang, Z.D., Wu, Y.Y., Zheng, W.S., Sun, D.K., Feng, L.Y. and Liu, X.Y.
The effect of click rate on latency and interpeak interval of the brain-stem auditory evoked potentials in children from birth to 6 years (80) 60
Jones, S.J., Pitman, J.R. and Halliday, A.M.
Scalp potentials following sudden coherence and discoherence of binaural noise and change in the inter-aural time difference: a specific binaural evoked potential or a "mismatch" response? (80) 147
Jones, S.J.
Memory-dependent auditory evoked potentials to change in the binaural interaction of noise signals (80) 399
Joseph, J., Howland, E.W., Wakai, R., Backonja, M., Baffa, O., Potenti, F.M. and Cleeland, C.S.
Late pain-related magnetic fields and electric potentials evoked by intracutaneous electric finger stimulation (80) 46

Kakigi, R. and Shibasaki, H.
Estimation of conduction velocity of the spino-thalamic tract in man (80) 39
Kakigi, R. and Shibasaki, H.
Middle-latency somatosensory evoked potentials following median and posterior tibial nerve stimulation in Down's syndrome (80) 364
Kameyama, S., see Yamada, T. (80) 251
Karhu, J., Hari, R., Lu, S.-T., Paetau, R. and Rif, J.
Cerebral magnetic fields to lingual stimulation (80) 459
Katifi, H.A., see Cole, J.D. (80) 103
Kato, M., see Kurita-Tashima, S. (80) 161
Kato, M., see Morioka, T. (80) 215
Kato, M., see Morioka, T. (80) 221
Kato, M., see Tobimatsu, S. (80) 89
Kimura, A., see Okajima, Y. (80) 26
Kimura, A., see Okajima, Y. (80) 531
Kimura, J., see Yamada, T. (80) 251
Kovala, T., Tolonen, U. and Pyhtinen, J.
A prospective 1 year follow-up study with somatosensory potentials evoked by stimulation of the posterior tibial nerve in patients with supratentorial cerebral infarction (80) 262
Krieger, J., see Rumbach, L. (80) 454
Kuriki, S. and Takeuchi, F.
Neuromagnetic responses elicited by auditory stimuli in dichotic listening (80) 406
Kurita-Tashima, S., Tobimatsu, S., Nakayama-Hiromatsu, M. and Kato, M.
Effect of check size on the pattern reversal visual evoked potential (80) 161
Kurtz, D., see Rumbach, L. (80) 454

Lamarche, M., see Abbes, S. (80) 310
Lankers, J., see Bromm, B. (80) 284
Leibner, E., see Elidan, J. (80) 140
Leuzzi, V., see Cardona, F. (80) 8
Lindblom, U., see Hallström, Y.T. (80) 126
Liu, X.Y., see Jiang, Z.D. (80) 60
Loening-Baucke, V., Read, N.W. and Yamada, T.
Cerebral evoked potentials after rectal stimulation (80) 490
Loizzo, A., see Cardona, F. (80) 8
Loring, D.W., see Ray, P.G. (80) 347
Louvel, J., see Abbes, S. (80) 310
Lu, S.-T., see Karhu, J. (80) 459
Lücking, C.H., see Deuschl, G. (80) 326

Macdonell, R.A.L., Donnan, G.A. and Bladin, P.F.
Serial changes in somatosensory evoked potentials following cerebral infarction (80) 276
Machado, C., Valdés, P., García-Tigera, J., Virues, T., Biscay, R., Miranda, J., Coutin, P., Román, J. and García, O.
Brain-stem auditory evoked potentials and brain death (80) 392
Malatesta, G., see Onofrj, M. (80) 167
Mannen, T., see Sonoo, M. (80) 238
Mannen, T., see Sonoo, M. (80) 536
Mannen, T., see Ugawa, Y. (80) 21
Marillaud, A., see Paquereau, J. (80) 298
Matsubara, T., see Morioka, T. (80) 221
Matsuoka, H., see Yamada, T. (80) 251

Mauguière, F., see García-Larrea, L. (80) 201
Mauguière, F., see Jeanmonod, D. (80) 477
McPherson, R.W., see Thakor, N.V. (80) 108
Meador, K.J., see Ray, P.G. (80) 347
Meyerson, B.A., see Hallström, Y.T. (80) 126
Miranda, J., see Machado, C. (80) 392
Mitrakou, A., see Durrant, J.D. (80) 547
Møller, A.R., see Sen, C.N. (80) 378
Morioka, T., Shima, F., Kato, M. and Fukui, M.
Direct recording of somatosensory evoked potentials in the vicinity of the dorsal column nuclei in man: their generator mechanisms and contribution to the scalp far-field potentials (80) 215
Morioka, T., Tobimatsu, S., Fujii, K., Fukui, M., Kato, M. and Matsubara, T.
Origin and distribution of brain-stem somatosensory evoked potentials in humans (80) 221
Muhailan, A., see Panjwani, G.D. (80) 384
Munari, M., see Facco, E. (80) 469
Munson, R., see Towle, V.L. (80) 329
Murai, Y., see Tsuji, S. (80) 32
Murro, A.M., see Ray, P.G. (80) 347
Mustafa, M.K.Y., see Panjwani, G.D. (80) 384
Mylin, L., see Ghilardi, M.F. (80) 1

Nader, S.H., see Towle, V.L. (80) 329
Nader, S.H., see Towle, V.L. (80) 339
Nakano, I., see Sonoo, M. (80) 536
Nakayama-Hiromatsu, M., see Kurita-Tashima, S. (80) 161
Nakayama-Hiromatsu, M., see Tobimatsu, S. (80) 89
Nitzan, M., see Elidan, J. (80) 140
Noël, P., see Tomberg, C. (80) 496

Ohira, T., see Towle, V.L. (80) 329
Okajima, Y., Chino, N., Saitoh, E. and Kimura, A.
Interactions of somatosensory evoked potentials: simultaneous stimulation of two nerves (80) 26
Okajima, Y., Chino, N., Saitoh, E. and Kimura, A.
Recovery functions of somatosensory vertex potentials in man: interaction of evoked responses from right and left fingers (80) 531
Onofrj, M., Bazzano, S., Malatesta, G. and Fulgente, T.
Mapped distribution of pattern reversal VEPs to central field and lateral half-field stimuli of different spatial frequencies (80) 167
Onofrj, M., see Glover, A. (80) 65
Onofrj, M.C., see Ghilardi, M.F. (80) 1
Opsomer, R.J., see Guérit, J.M. (80) 228
Ossenblok, P. and Spekreijse, H.
The extrastriate generators of the EP to checkerboard onset. A source localization approach (80) 181
Owunwanne, A., see Panjwani, G.D. (80) 384
Ozaki, I., see Desmedt, J.E. (80) 513
Ozaki, I., see Tomberg, C. (80) 496
Ozaki, I., see Tomberg, C. (80) 504

Paetau, R., see Karhu, J. (80) 459
Panjwani, G.D., Mustafa, M.K.Y., Muhailan, A., Aneja, I.S. and Owunwanne, A.
Effect of hyperthermia on somatosensory evoked potentials in the anaesthetized rat (80) 384
Papanicolaou, A.C., see Baumann, S.B. (80) 53
Paquereau, J., Ingrand, P. and Marillaud, A.
Wave III of brain-stem auditory evoked potentials analysed both with 3-channel Lissajous' trajectory and dipole localization method (80) 298
Pitman, J.R., see Jones, S.J. (80) 147
Potenti, F.M., see Joseph, J. (80) 46
Pratt, H., Bleich, N., Zaaroor, M. and Starr, A.
The effects of digital filtering on feline auditory brain-stem evoked potentials (80) 572
Prestor, B., Žgur, T. and Dolenc, V.V.
Subpially recorded cervical spinal cord evoked potentials in syringomyelia (80) 155
Pumain, R., see Abbes, S. (80) 310
Pyhtinen, J., see Kovala, T. (80) 262

Ray, P.G., Meador, K.J., Loring, D.W., Murro, A.M., Buccafusco, J.J., Yang, X.H., Zamrini, E.Y., Thompson, W.O. and Thompson, E.E.
Effects of scopolamine on visual evoked potentials in aging and dementia (80) 347
Read, N.W., see Loening-Baucke, V. (80) 490
Reder, A.T., see Towle, V.L. (80) 339
Rif, J., see Karhu, J. (80) 459
Rodnitzky, R.L., see Yamada, T. (80) 251
Rogers, R.L., see Baumann, S.B. (80) 53
Román, J., see Machado, C. (80) 392
Rossini, P.M., see Zarola, F. (80) 372
Rubinstein, E.H., see Buchwald, J.S. (80) 303
Rumbach, L., Krieger, J. and Kurtz, D.
Auditory event-related potentials in obstructive sleep apnea: effects of treatment with nasal continuous positive airway pressure (80) 454

Saitoh, E., see Okajima, Y. (80) 26
Saitoh, E., see Okajima, Y. (80) 531
Sakuta, M., see Sonoo, M. (80) 238
Sand, T.
Clinical correlates of brain-stem auditory evoked potential variables in multiple sclerosis. Relation to click polarity (80) 292
Sartucci, F., see Ghilardi, M.F. (80) 1
Saydjari, C.L., see Baumann, S.B. (80) 53
Schwafel, J., see Buchwald, J.S. (80) 303
Schwafel, J., see Erwin, R. (80) 561
Sela, M., see Elidan, J. (80) 140
Sen, C.N. and Møller, A.R.
Comparison of somatosensory evoked potentials recorded from the scalp and dorsal column nuclei to upper and lower limb stimulation in the rat (80) 378
Shibasaki, H., see Kakigi, R. (80) 39
Shibasaki, H., see Kakigi, R. (80) 364
Shima, F., see Morioka, T. (80) 215
Shimpo, T., see Sonoo, M. (80) 238
Shimpo, T., see Sonoo, M. (80) 536
Shimpo, T., see Ugawa, Y. (80) 21
Sindou, M., see Jeanmonod, D. (80) 477
Snyder, A.Z.
Dipole source localization in the study of EP generators: a critique (80) 321
Sohmer, H., see Elidan, J. (80) 140
Sonoo, M., Sakuta, M., Shimpo, T., Genba, K. and Mannen, T.
Widespread N18 in median nerve SEP is preserved in a pontine lesion (80) 238
Sonoo, M., Shimpo, T., Takeda, K., Genba, K., Nakano, I. and Mannen, T.
SEPs in two patients with localized lesions of the postcentral gyrus (80) 536
Soustiel, J.F., Feinsod, M. and Hafner, H.
Short latency trigeminal evoked potentials: normative data and clinical correlations (80) 119
Spekreijse, H., see Ossenblok, P. (80) 181
Spire, J.-P., see Towle, V.L. (80) 329
Spire, J.-P., see Towle, V.L. (80) 339
Spire, J.-P., see Witt, J.C. (80) 551

Stanzione, P., Fattapposta, F., Giunti, P., D'Alessio, C., Tagliati, M., Affricano, C. and Amabile, G.
P300 variations in parkinsonian patients before and during dopaminergic monotherapy: a suggested dopamine component in P300 (80) 446
Starr, A., see Pratt, H. (80) 572
Starr, A., see Zaaroor, M. (80) 422
Starr, A., see Zaaroor, M. (80) 436
Strandburg, R.J., see Buchwald, J.S. (80) 303
Stroch, R., see Ghilardi, M.F. (80) 1
Sun, D.K., see Jiang, Z.D. (80) 60

Tagliati, M., see Stanzione, P. (80) 446
Takeda, K., see Sonoo, M. (80) 536
Takeuchi, F., see Kuriki, S. (80) 406
Tanguay, P., see Erwin, R. (80) 561
Tashima-Kurita, S., see Tobimatsu, S. (80) 89
Taylor, M.J., see George, S.R. (80) 94
Thakor, N.V., Vaz, C.A., McPherson, R.W. and Hanley, D.F.
Adaptive Fourier series modeling of time-varying evoked potentials: study of human somatosensory evoked response to etomidate anesthetic (80) 108
Thompson, E.E., see Ray, P.G. (80) 347
Thompson, W.O., see Ray, P.G. (80) 347
Tobimatsu, S., Tashima-Kurita, S., Nakayama-Hiromatsu, M. and Kato, M.
Clinical relevance of phase of steady-state VEPs to P100 latency of transient VEPs (80) 89
Tobimatsu, S., see Kurita-Tashima, S. (80) 161
Tobimatsu, S., see Morioka, T. (80) 221
Tolonen, U., see Kovala, T. (80) 262
Tomberg, C., Desmedt, J.E. and Ozaki, I.
Right or left ear reference changes the voltage of frontal and parietal somatosensory evoked potentials (80) 504
Tomberg, C., Desmedt, J.E., Ozaki, I. and Noël, P.
Nasopharyngeal recordings of somatosensory evoked potentials document the medullary origin of the N18 far-field (80) 496
Tomoda, H., Celesia, G.G. and Cone Toleikis, S.
Effect of spatial frequency on simultaneous recorded steady-state pattern electroretinograms and visual evoked potentials (80) 81
Towle, V.L., Witt, J.C., Nader, S.H., Reder, A.T., Foust, R. and Spire, J.-P.
Three-dimensional human pattern visual evoked potentials. II. Multiple sclerosis patients (80) 339
Towle, V.L., Witt, J.C., Ohira, T., Munson, R., Nader, S.H. and Spire, J.-P.
Three-dimensional human pattern visual evoked potentials. I. Normal subjects (80) 329
Towle, V.L., see Witt, J.C. (80) 551
Tsuji, S. and Murai, Y.
Cortical somatosensory potentials evoked by magnetic stimulation: effect of body height, age, and stimulus intensity (80) 32

Ugawa, Y., Genba, K., Shimpo, T. and Mannen, T.
Somatosensory evoked potential recovery (SEP-R) in myoclonic patients (80) 21

Valdés, P., see Machado, C. (80) 392
Van Lancker, D., see Erwin, R. (80) 561
Vaz, C.A., see Thakor, N.V. (80) 108
Virues, T., see Machado, C. (80) 392

Wagner, W.
SEP testing in deeply comatose and brain dead patients: the role of nasopharyngeal, scalp and earlobe derivations in recording the P14 potential (80) 352
Wakai, R., see Joseph, J. (80) 46
Wilson, M.J., see Dobie, R.A. (80) 194
Witt, J.C., Towle, V.L., Bolaños, J. and Spire, J.-P.
Tetrahedral recording of 3-D BAEPs: evidence for the centered dipole model (80) 551
Witt, J.C., see Towle, V.L. (80) 329
Witt, J.C., see Towle, V.L. (80) 339
Wu, Y.Y., see Jiang, Z.D. (80) 60

Yamada, T., Rodnitzky, R.L., Kameyama, S., Matsuoka, H. and Kimura, J.
Alteration of SEP topography in Huntington's patients and their relatives at risk (80) 251
Yamada, T., see Loening-Baucke, V. (80) 490
Yang, X.H., see Ray, P.G. (80) 347

Zaaroor, M. and Starr, A.
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. I. Superior olivary complex (80) 422
Zaaroor, M. and Starr, A.
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. II. Cochlear nucleus (80) 436
Zaaroor, M., see Pratt, H. (80) 572
Zamrini, E.Y., see Ray, P.G. (80) 347
Zarola, F. and Rossini, P.M.
Nerve, spinal cord and brain somatosensory evoked responses: a comparative study during electrical and magnetic peripheral nerve stimulation (80) 372
Žgur, T., see Prestor, B. (80) 155
Zheng, W.S., see Jiang, Z.D. (80) 60

Electroencephalography and clinical Neurophysiology, 80 (1991) 583–588
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0168-5597/91/$03.50

Index of Subjects

VOLUME 80 (EP), 1991

(Abstracts from Society Proceedings are not included)

Acceleration
– short latency vestibular ER in man, 140
Action potentials
– EPs to magnetic nerve stimulation, 372
Active movement
– pre- and postcentral SEPs in interfering conditions, 522
Age
– estimation of spinal conduction velocity, 39
– SEPs by magnetic stimulation, 32
– scopolamine and VEPs in aging and dementia, 347
Alpha phase VEP relationships, 241
Alzheimer's disease, scopolamine and VEPs, 347
Anesthesia
– BAEPs affected by hypothermia and pentobarbital, 412
Anoxia
– sensorimotor central conduction time, and coma, 469
Anterolateral tract
– laser SEP in dissociated sensory loss, 284
Antidromic conduction
– lumbar spinal SEPs and paresthesiae, 126
Apnea syndrome
– ERPs in obstructive sleep apnea, 454
Asymmetry
– influence of ear reference on SEP voltage, 504
Attention
– SEP maps and selective spatial attention, 201
Auditory evoked fields
– gender differences in magnetic N100 localization, 53
– magnetic responses to dichotic stimulation, 406
Auditory evoked potentials
– binaural interaction EPs, 146
– cholinergic effects on human midlatency AEPs, 303
– interaction effects in cat auditory EPs, 73
– memory-dependent AEPs to binaural interaction, 399
– optimal coherence smoothing, 194
Autism
– prosodic stimuli in adult subjects, 561
Averaging
– alpha phase VEP relationships, 241

BAEPs, *see* Brain-stem auditory evoked potentials
Binaural interaction
– binaural interaction EPs, 146
– memory-dependent AEPs to binaural interaction, 399
Body height
– SEPs by magnetic stimulation, 32
Book reviews, 80
Brain death
– and BAEPs, 392
– nasopharyngeal P14, 352
Brain development
– EPs in phenylketonuric children, 8
Brain slices
– EPs in slices of rat sensorimotor cortex, 310
Brain-stem
– BAEPs after kainic acid lesion, 422, 436
– cochlear nucleus lesion and BAEPs, 436
– interaction effects in cat auditory EPs, 73
– medullary origin of the N18 far-field SEP, 496
– N18 SEP in a pontine lesion, 238
– origin and distribution of brain-stem SEPs, 221
– short latency trigeminal EPs, 119
– superior olive lesion and BAEPs, 422
Brain-stem auditory evoked potentials
– after kainic acid lesion of cochlear nucleus, 436
– after kainic acid lesion of superior olive, 422
– and brain death, 392
– clinical correlates of BAEP variables in MS, 292
– digital filtering of feline BAEPs, 572
– effect of click rate in children, 60
– effects of hypothermia and pentobarbital, 412
– hypoglycemia, temperature and BAEP changes, 547
– in phenylketonuric children, 8
– tetrahedral recording of 3D-BAEPs, 551
– 3-CLT analysis and dipole localization in wave III, 298

Cat
– BAEPs after kainic acid lesion of cochlear nucleus, 436
– BAEPs after kainic acid lesion of superior olive, 422
– digital filtering of feline BAEPs, 572
– interaction effects in cat auditory EPs, 73
Cerebral blood flow
– rat SEPs and hyperthermia, 384
Cerebral infarction
– and SEPs, 276
– tibial nerve SEPs, 262
Cerebral lesions, *see* Lesions
Cervical
– and lumbo-sacral evoked electrospinogram, 477
– intraoperative spinal EPs in syringomyelia, 155
– SEPs of dorsal column nuclei, 215
Children, *see* Infants
Cholinergic drugs
– effects on human midlatency AEPs, 303
– scopolamine and VEPs in aging and dementia, 347
Click stimulus
– clinical correlates of BAEP variables in MS, 292
– effect of click rate on BAEPs in children, 60
Clinical correlates of BAEP variables in MS, 292
CO_2 laser
– estimation of spinal conduction velocity, 39
– laser SEP in dissociated sensory loss, 284

Cochlear nucleus
– BAEPs after kainic acid lesion of cochlear nucleus, 436
– interaction effects in cat auditory EPs, 73
Cognitive P300 in the monkey, 65
Coherence smoothing, 194
Colliculus
– interaction effects in cat auditory EPs, 73
Coma
– nasopharyngeal P14, 352
– sensorimotor central conduction time, 469
Computed EEG topography, *see* Topographic mapping
Conduction
– estimation of spinal conduction velocity, 39
– sensorimotor central conduction time, and coma, 469
Correlations
– alpha phase VEP relationships, 241
Cortical activation
– spontaneous and reflex myoclonias, 326
Cuneate nucleus
– medullary origin of the N18 far-field SEP, 496
– N18 SEP in a pontine lesion, 238
– origin and distribution of brain-stem SEPs, 221
– SEPs of dorsal column nuclei, 215
Current dipole or source, *see* Generators
Cutaneous nerve terminal
– laser SEP in dissociated sensory loss, 284

Dementia, scopolamine and VEPs, 347
Depth recording
– interaction effects in cat auditory EPs, 73
Development
– effect of click rate on BAEPs in children, 60
– SEPs in neonates and infants, 94
Diabetes
– hypoglycemia, temperature and BAEP changes, 547
Diagnostic value
– BAEPs and brain death, 392
Dichotic stimulation
– magnetic responses, 406
Digital filtering of feline BAEPs, 572
Dipole
– cervical and lumbo-sacral evoked electrospinogram, 477
– 3-CLT analysis and dipole localization in BAEP wave III, 298
– dipole source localization in EP generators, 321
– extrastriate generators of pattern onset EP, 181
– tetrahedral recording of 3D-BAEPs, 551
Dopamine component of P300 in Parkinson's disease, 446
Dorsal column
– laser SEP in dissociated sensory loss, 284
– rat SEPs from scalp and dorsal column nuclei, 378
– SEPs of dorsal column nuclei, 215
Dorsal root
– cervical and lumbo-sacral evoked electrospinogram, 477
Down's syndrome
– midlatency SEPs, 364

Earlobe reference
– influence on SEP voltage, 504
Early components, *see* Short latency components
Earmolds
– interaction effects in cat auditory EPs, 73
EEG/VEP relationships, 16
Electrical stimulation
– Aδ SEPs from electrical stimulation, 103
– EPs to magnetic nerve stimulation, 372
Electroretinogram
– steady-state pattern ERGs and VEPs, 81
Epidural recording
– lumbar spinal SEPs and paresthesiae, 126
Epilepsy
– SEP recovery in myoclonic patients, 21
– spontaneous and reflex myoclonias, 326
Etomidate
– adaptative Fourier series modeling of EPs, 108
Event-related potentials
– dopamine component of P300 in Parkinson's disease, 446
– in obstructive sleep apnea, 454
– prosodic stimuli in adult autistic subjects, 561
– visual cognitive P300 in the monkey, 65
Evoked fields
– pain-related magnetic fields and electrical potentials, 46
Evoked potentials
– adaptative Fourier series modeling of EPs, 108
– auditory, *see* Auditory evoked potentials
– BAEPs, *see* Brain-stem auditory evoked potentials
– cerebral EPs to rectal stimulation, 490
– cerebral magnetic field to lingual stimulation, 459
– dipole source localization in EP generators, 321
– in slices of rat sensorimotor cortex, 310
– pain-related magnetic fields and electrical potentials, 46
– short latency vestibular ER in man, 140
– somatosensory, *see* Somatosensory evoked potentials
– tetrahedral recording of 3D-BAEPs, 551
– to pattern, *see* Pattern
– visual, *see* Visual evoked potentials
– 3D pattern VEPs, 329
Experimental models, *see* Models
Extrastriate generators of pattern onset EP, 181

Far-field potentials
– cervical and lumbo-sacral evoked electrospinogram, 477
– medullary origin of the N18 far-field SEP, 496
– SEPs of dorsal column nuclei, 215
– 3-CLT analysis and dipole localization in BAEP wave III, 298
Females
– cerebral EPs to rectal stimulation, 490
Field potentials
– EPs in slices of rat sensorimotor cortex, 310
Finger
– recovery functions of somatosensory vertex potentials, 531
– SEPs to finger joint or cutaneous inputs, 513
Follow-up
– tibial nerve SEPs in cerebral infarction, 262
Fourier analysis
– adaptative Fourier series modeling of EPs, 108
Frontal operculum
– pain-related magnetic fields and electrical potentials, 46

Generators
– BAEPs after lesion of cochlear nucleus, 436
– BAEPs after lesion of superior olive, 422
– dipole source localization in EP generators, 321
– extrastriate generators of pattern onset EP, 181
– gender differences in magnetic N100 localization, 53
– origin and distribution of brain-stem SEPs, 221
– SEPs of dorsal column nuclei, 215
Go and no-go task
– visual cognitive P300 in the monkey, 65

Harmonic response
– steady-state pattern ERGs and VEPs, 81
Head injury
– sensorimotor central conduction time, and coma, 469

Hemifield stimulation
– extrastriate generators of pattern onset EP, 181
Huntington's disease and SEPs, 251
Hyperthermia and rat SEPs, 384
Hypoglycemia, temperature and BAEP changes, 547
Hypothermia and pentobarbital effects on BAEPs, 412

Infants
– effect of click rate on BAEPs in children, 60
– EPs in phenylketonuric children, 8
– SEPs in neonates and infants, 94
Inter-aural
– binaural interaction EPs, 146
– memory-dependent AEPs to binaural interaction, 399
Intracutaneous electric stimulation
– pain-related magnetic fields and electrical potentials, 46
Intraoperative monitoring
– cervical and lumbo-sacral evoked electrospinogram, 477
– spinal EPs in syringomyelia, 155
In vitro study
– EPs in slices of rat sensorimotor cortex, 310
Ischemia
– SEPs after cerebral infarction, 276
– tibial nerve SEPs in cerebral infarction, 262

Joint receptors
– SEPs to finger joint or cutaneous inputs, 513

Kainic acid
– BAEPs after lesion of cochlear nucleus, 436
– BAEPs after lesion of superior olive, 422
Killed end potential
– origin and distribution of brain-stem SEPs, 221

Labyrinth
– short latency vestibular ER in man, 140
Laminar analysis
– EPs in slices of rat sensorimotor cortex, 310
Language
– prosodic stimuli in adult autistic subjects, 561
Lesions
– BAEPs after lesion of cochlear nucleus, 436
– BAEPs after lesion of superior olive, 422
– N18 SEP in a pontine lesion, 238
– SEPs and localized lesions of the postcentral gyrus, 536
Lissajous' trajectories
– tetrahedral recording of 3D-BAEPs, 551
– 3-CLT analysis and dipole localization in BAEP wave III, 298
– 3D pattern VEPs, 329
– 3D pattern VEPs and multiple sclerosis, 339
Long latency components
– laser SEP in dissociated sensory loss, 284
Lumbar cord
– evoked electrospinogram, 477
– spinal SEPs and paresthesiae, 126

Magnetic field
– cerebral field to lingual stimulation, 459
– responses to dichotic stimulation, 406
Magnetic stimulation
– EPs to magnetic nerve stimulation, 372
– sensorimotor central conduction time, and coma, 469
– SEPs by magnetic stimulation, 32
Magnetoencephalogram
– gender differences in magnetic N100 localization, 53
– pain-related fields and electrical potentials, 46
Mapping, *see* Topographic mapping
Maturation
– SEPs in neonates and infants, 94
Mechanical stimulation
– lumbar spinal SEPs and paresthesiae, 126
Medial lemniscus
– N18 SEP in a pontine lesion, 238
– origin and distribution of brain-stem SEPs, 221
Median nerve
– influence of ear reference on SEP voltage, 504
– interactions of SEPs, 26
– intraoperative spinal EPs in syringomyelia, 155
– midlatency SEPs in Down's syndrome, 364
– nasopharyngeal P14 in coma and brain death, 352
– N18 SEP in a pontine lesion, 238
– origin and distribution of brain-stem SEPs, 221
– pre- and postcentral SEPs in interfering conditions, 522
– rat SEPs from scalp and dorsal column nuclei, 378
– sensorimotor central conduction time, and coma, 469
– SEP recovery in myoclonic patients, 21
– SEPs after cerebral infarction, 276
– SEPs and localized lesions of the postcentral gyrus, 536
– SEPs in Huntington's disease, 251
– SEPs in neonates and infants, 94
– SEPs of dorsal column nuclei, 215
– spontaneous and reflex myoclonias, 326
Medullary origin of the N18 far-field SEP, 496
Metabolic disorders
– EPs in phenylketonuric children, 8
Midbrain
– origin and distribution of brain-stem SEPs, 221
Midlatency responses
– cholinergic effects on human AEPs, 303
– SEPs in Down's syndrome, 364
Mismatch negativity
– binaural interaction EPs, 146
– memory-dependent AEPs to binaural interaction, 399
Model
– dipole source localization in EP generators, 321
– optimal coherence smoothing, 194
– tetrahedral recording of 3D-BAEPs, 551
– 3-CLT analysis and dipole localization in BAEP wave III, 298
Monkey
– visual cognitive P300, 65
Motor cortex
– SEPs and localized lesions of the postcentral gyrus, 536
Motor evoked potentials
– sensorimotor central conduction time, and coma, 469
Movement
– pre- and postcentral SEPs in interfering conditions, 522
Multiple regression analysis
– EEG/VEP relationships, 16
Multiple sclerosis
– clinical correlates of BAEP variables, 292
– N70 and P100, 1
– steady-state VEP phase, 89
– 3D pattern VEPs, 339
Myoclonus
– SEP recovery in myoclonic patients, 21
– spontaneous and reflex myoclonias, 326

Naloxone treatment
– rat SEPs and hyperthermia, 384
Nasopharyngeal derivation
– medullary origin of the N18 far-field SEP, 496
– P14 in coma and brain death, 352

Neonates
– SEPs in neonates and infants, 94
Nerve
– EPs to magnetic nerve stimulation, 372
– *see also* Conduction time
Neuronal loss
– BAEPs after lesion of cochlear nucleus, 436
– BAEPs after lesion of superior olive, 422
Neuropathy
– Aδ SEPs from electrical stimulation, 103
– lumbar spinal SEPs and paresthesiae, 126
Newborns, *see* Neonates
Non-cephalic reference
– medullary origin of the N18 far-field SEP, 496
Normal human subjects
– alpha phase VEP relationships, 241
– binaural interaction EPs, 146
– cerebral EPs to rectal stimulation, 490
– cerebral magnetic field to lingual stimulation, 459
– cholinergic effects on human midlatency AEPs, 303
– EEG/VEP relationships, 16
– effect of check size on pattern reversal VEPs, 161
– effect of click rate on BAEPs in children, 60
– EPs to magnetic nerve stimulation, 372
– estimation of spinal conduction velocity, 39
– extrastriate generators of pattern onset EP, 181
– gender differences in magnetic N100 localization, 53
– hypoglycemia, temperature and BAEP changes, 547
– influence of ear reference on SEP voltage, 504
– interactions of SEPs, 26
– magnetic responses to dichotic stimulation, 406
– memory-dependent AEPs to binaural interaction, 399
– optimal coherence smoothing, 194
– pain-related magnetic fields and electrical potentials, 46
– pre- and postcentral SEPs in interfering conditions, 522
– pudendal and tibial nerve multichannel SEPs, 228
– recovery functions of somatosensory vertex potentials, 531
– SEP maps and selective spatial attention, 201
– SEPs by magnetic stimulation, 32
– SEPs in neonates and infants, 94
– SEPs to finger joint or cutaneous inputs, 513
– short latency trigeminal EPs, 119
– short latency vestibular ER in man, 140
– steady-state pattern ERGs and VEPs, 81
– steady-state VEP phase, 89
– tetrahedral recording of 3D-BAEPs, 551
– VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
– 3-CLT analysis and dipole localization in BAEP wave III, 298
– 3D pattern VEPs, 329
N100
– gender differences in magnetic N100 localization, 53
N18
– medullary origin of the N18 far-field SEP, 496
– N18 SEP in a pontine lesion, 238
N70
– N70 and P100 in multiple sclerosis, 1
N75
– effect of check size on pattern reversal VEPs, 161

Occipital cortex
– extrastriate generators of pattern onset EP, 181
Olivocochlear complex
– BAEPs after kainic acid lesion of cochlear nucleus, 436
– BAEPs after kainic acid lesion of superior olive, 422
Optic neuropathy
– steady-state VEP phase, 89
– 3D pattern VEPs and multiple sclerosis, 339
Outcome
– sensorimotor central conduction time, and coma, 469

Pain
– laser SEP in dissociated sensory loss, 284
– lumbar spinal SEPs and paresthesiae, 126
– pain-related magnetic fields and electrical potentials, 46
Paired stimulation
– SEP recovery in myoclonic patients, 21
Paresthesia
– lumbar spinal SEPs, 126
Parkinsonism
– dopamine component of P300, 446
Pathways
– interactions of SEPs, 26
– N70 and P100 in multiple sclerosis, 1
– recovery functions of somatosensory vertex potentials, 531
Pattern
– extrastriate generators of pattern onset EP, 181
– steady-state pattern ERGs and VEPs, 81
– 3D pattern VEPs, 329
– 3D pattern VEPs and multiple sclerosis, 339
Pattern reversal VEP
– effect of check size, 161
– maps to 1, 2, 4 c/deg patterned stimuli, 167
Pentobarbital effects on BAEPs, 412
Phase
– alpha phase VEP relationships, 241
– steady-state pattern ERGs and VEPs, 81
– steady-state VEP phase, 89
Phenylketonuria and EPs in children, 8
Physostigmine
– cholinergic effects on human midlatency AEPs, 303
Pons
– N18 SEP in a pontine lesion, 238
– origin and distribution of brain-stem SEPs, 221
Positive airway pressure
– ERPs in obstructive sleep apnea, 454
Posterior column
– estimation of spinal conduction velocity, 39
Power spectral analysis
– EEG/VEP relationships, 16
– SEPs in Huntington's disease, 251
Precentral SEP component
– pre- and postcentral SEPs in interfering conditions, 522
– SEPs to finger joint or cutaneous inputs, 513
Prestimulus condition
– EEG/VEP relationships, 16
Progressive myoclonic epilepsy
– spontaneous and reflex myoclonias, 326
Prosodic stimuli in adult autistic subjects, 561
Pudendal nerve
– cerebral EPs to rectal stimulation, 490
– pudendal and tibial nerve multichannel SEPs, 228
P100
– effect of check size on pattern reversal VEPs, 161
– N70 and P100 in multiple sclerosis, 1
– steady-state VEP phase, 89
P14
– medullary origin of the N18 far-field SEP, 496
– nasopharyngeal P14 in coma and brain death, 352
P3
– prosodic stimuli in adult autistic subjects, 561
P300
– dopamine component of P300 in Parkinson's disease, 446
– visual cognitive P300 in the monkey, 65

Rat
– BAEPs affected by hypothermia and pentobarbital, 412
– EPs in slices of rat sensorimotor cortex, 310
– SEPs and hyperthermia, 384
– SEPs from scalp and dorsal column nuclei, 378
Recovery functions of somatosensory vertex potentials, 531
Rectal EPs, 490
Reference electrode
– influence of ear reference on SEP voltage, 504
Reflex
– spontaneous and reflex myoclonias, 326
Relatives at risk
– SEPs in Huntington's disease, 251
Reticular arousal system
– cholinergic effects on human midlatency AEPs, 303
Retina
– steady-state pattern ERGs and VEPs, 81

Sciatic nerve
– rat SEPs from scalp and dorsal column nuclei, 378
Scopolamine
– and VEPs in aging and dementia, 347
– cholinergic effects on human midlatency AEPs, 303
Selective attention, *see* Attention
Sensorimotor, *see* Somatosensory
Sensory deficit
– Aδ SEPs from electrical stimulation, 103
– laser SEP in dissociated sensory loss, 284
– N18 SEP in a pontine lesion, 238
– SEPs and localized lesions of the postcentral gyrus, 536
Sensory gating
– pre- and postcentral SEPs in interfering conditions, 522
– SEPs in Huntington's disease, 251
Sensory pathways
– recovery functions of somatosensory vertex potentials, 531
Sex differences in magnetic N100 localization, 53
Short latency components
– medullary origin of the N18 far-field SEP, 496
– trigeminal EPs, 119
– vestibular ER in man, 140
Sleep apnea and ERPs, 454
Somatosensory cortex
– cerebral magnetic field to lingual stimulation, 459
– EPs in slices of rat sensorimotor cortex, 310
– SEPs and localized lesions of the postcentral gyrus, 536
Somatosensory evoked potentials
– adaptative Fourier series modeling, 108
– after cerebral infarction, 276
– and localized lesions of the postcentral gyrus, 536
– Aδ SEPs from electrical stimulation, 103
– by magnetic stimulation, 32
– estimation of spinal conduction velocity, 39
– influence of ear reference on SEP voltage, 504
– in Huntington's disease, 251
– in neonates and infants, 94
– interactions of SEPs, 26
– intraoperative spinal EPs in syringomyelia, 155
– laser SEP in dissociated sensory loss, 284
– lumbar spinal SEPs and paresthesiae, 126
– medullary origin of the N18 far-field SEP, 496
– midlatency SEPs in Down's syndrome, 364
– nasopharyngeal P14 in coma and brain death, 352
– N18 SEP in a pontine lesion, 238
– of dorsal column nuclei, 215
– origin and distribution of brain-stem SEPs, 221
– pain-related magnetic fields and electrical potentials, 46
– pre- and postcentral SEPs in interfering conditions, 522
– pudendal and tibial nerve multichannel SEPs, 228
– rat SEPs and hyperthermia, 384
– rat SEPs from scalp and dorsal column nuclei, 378
– recovery functions of somatosensory vertex potentials, 531
– sensorimotor central conduction time, and coma, 469
– SEP maps and selective spatial attention, 201
– SEP recovery in myoclonic patients, 21
– short latency trigeminal EPs, 119
– spontaneous and reflex myoclonias, 326
– tibial nerve SEPs in cerebral infarction, 262
– to finger joint or cutaneous inputs, 513
– to magnetic nerve stimulation, 372
Sound lateralization
– binaural interaction EPs, 146
– memory-dependent AEPs to binaural interaction, 399
Source localization
– extrastriate generators of pattern onset EP, 181
– dipole source localization in EP generators, 321
– gender differences in magnetic N100 localization, 53
Spatial attention and SEP maps, 201
Spatial distribution, *see* Topographic mapping
Spatial frequency
– steady-state pattern ERGs and VEPs, 81
Speech, *see* Language
Spinal cord
– cervical and lumbo-sacral evoked electrospinogram, 477
– intraoperative spinal EPs in syringomyelia, 155
– lumbar spinal SEPs and paresthesiae, 126
Spinothalamic tract
– estimation of spinal conduction velocity, 39
Steady-state response
– steady-state pattern ERGs and VEPs, 81
– steady-state VEP phase, 89
Stimulus intensity
– SEPs by magnetic stimulation, 32
Stimulus rate
– effect of click rate on BAEPs in children, 60
Stimulus sequence
– magnetic responses to dichotic stimulation, 406
Stroke
– sensorimotor central conduction time, and coma, 469
– SEPs after cerebral infarction, 276
– tibial nerve SEPs in cerebral infarction, 262
Superior olivary complex
– BAEPs after kainic acid lesion of superior olive, 422
Syringomyelia
– intraoperative spinal EPs, 155

Tactile input
– SEPs to finger joint or cutaneous inputs, 513
Task condition
– SEP maps and selective spatial attention, 201
Temperature sensitivity
– BAEPs affected by hypothermia and pentobarbital, 412
– hypoglycemia, temperature and BAEP changes, 547
– laser SEP in dissociated sensory loss, 284
Tibial nerve
– midlatency SEPs in Down's syndrome, 364
– multichannel SEPs, 228
– SEPs in Huntington's disease, 251
– SEPs of dorsal column nuclei, 215
Time domain
– adaptative Fourier series modeling of EPs, 108
Tongue
– cerebral magnetic field to lingual stimulation, 459
Topographic mapping
– extrastriate generators of pattern onset EP, 181

- influence of ear reference on SEP voltage, 504
- pudendal and tibial nerve multichannel SEPs, 228
- SEP maps and selective spatial attention, 201
- SEPs in Huntington's disease, 251
- SEPs to finger joint or cutaneous inputs, 513
- VEP maps to 1, 2, 4 c/deg patterned stimuli, 167

Torticollis
- SEPs of dorsal column nuclei, 215

Trigeminal nerve
- cerebral magnetic field to lingual stimulation, 459
- short latency trigeminal EPs, 119

Ulnar nerve
- interactions of SEPs, 26

Vertex
- recovery functions of somatosensory vertex potentials, 531

Vestibular evoked responses
- short latency vestibular ER in man, 140

Visual cortex
- VEP maps to 1, 2, 4 c/deg patterned stimuli, 167

Visual evoked potentials
- alpha phase VEP relationships, 241
- EEG/VEP relationships, 16
- effect of check size on pattern reversal VEPs, 161
- extrastriate generators of pattern onset EP, 181
- in multiple sclerosis, 1, 339
- in phenylketonuric children, 8
- scopolamine and VEPs in aging and dementia, 347
- steady-state pattern ERGs and VEPs, 81
- steady-state VEP phase, 89
- VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
- visual cognitive P300 in the monkey, 65
- 3D pattern VEPs, 329, 339